

22. (Twice Amended) A method for increasing the radiance of the skin of an individual subject in need of such treatment, comprising topically applying thereon, for a period of time sufficient to increase the radiance of the skin, a composition consisting of (i) an effective amount of at least one glucosylated hydroxystilbene compound as the active principle, (ii) one or more usual cosmetic or pharmaceutical additives, and (iii) a physiologically acceptable medium therefor.

23. (Twice Amended) A method for smoothing the facial skin of an individual subject in need of such treatment, comprising topically applying thereon, for a period of time sufficient to elicit a smoothing effect on the facial skin, a composition consisting of (i) an effective amount of at least one glucosylated hydroxystilbene compound as the active principle, (ii) one or more usual cosmetic or pharmaceutical additives, and (iii) a physiologically acceptable medium therefor.

24. (Twice Amended) A method for treating wrinkles or fine lines in the skin of an individual subject in need of such treatment, comprising topically applying thereon, for a period of time sufficient to lessen the appearance of wrinkles or fine lines in the skin, a composition consisting of (i) an effective amount of at least one glucosylated hydroxystilbene compound as the active principle, (ii) one or more usual cosmetic or pharmaceutical additives, and (iii) a physiologically acceptable medium therefor.

25. (Twice Amended) A method for stimulating epidermal renewal in the skin of an individual subject in need of such treatment, comprising topically applying thereon, for a period of time sufficient to stimulate epidermal renewal in the skin, a composition consisting of (i) an effective amount of at least one glucosylated hydroxystilbene compound as the active principle, (ii) one or more usual cosmetic or pharmaceutical additives, and (iii) a physiologically acceptable medium therefor.

29. (Twice Amended) The method as defined by Claim 45, said at least one glucosylated hydroxystilbene compound being selected from the group consisting of 3,4'-dihydroxystilbene-5-O-beta-glucoside; 3,5-dihydroxystilbene-4'-O-beta-glucoside; 4',5-dihydroxystilbene-3-O-beta-glucoside; 4'-hydroxystilbene-3,5-O-beta-diglucoside; 5-hydroxystilbene-3,4'-O-beta-diglucoside; 3-hydroxystilbene-4',5-O-beta-diglucoside; stilbene-3,4',5-O-beta-triglucoside; 4'-methoxy-3',5-stilbenediol-3-O-beta-glucoside; 3,5,4'-trihydroxystilbene-2-O-beta-glucoside; 3',4,5'-trihydroxystilbene-3-O-beta-glucoside; pinosylvin glucoside; 5-hydroxystilbene-3-O-beta-glucoside; 3-hydroxystilbene-5-O-beta-glucoside; and/or stilbene-3,5-O-beta-diglucoside.

30. (Twice Amended) The method as defined by Claim 45, said at least one glucosylated hydroxystilbene compound consisting of the D optical isomer thereof.

31. (Twice Amended) The method as defined by Claim 45, said at least one glucosylated hydroxystilbene compound consisting of an admixture of glucosylated hydroxystilbene compounds.

45. (Amended) A method for combating signs of cutaneous aging or aging of the hair follicles, for increasing the radiance of the skin, for smoothing the facial skin, for treating wrinkles or fine lines in the skin or for stimulating epidermal renewal in the skin of an individual subject in need of such treatment, comprising topically applying thereon for a period of time sufficient to lessen signs of cutaneous aging or aging of the hair follicles, to increase the radiance of the skin, to elicit a smoothing effect on the facial skin, to lessen the appearance of wrinkles or fine lines in the skin or to stimulate epidermal renewal in the skin, respectively, a composition consisting of (i) an effective amount of at least one glucosylated hydroxystilbene compound as the active principle, (ii) one or more usual cosmetic or pharmaceutical additives, and (iii) a physiologically acceptable medium therefor.